


RAMPS FOR VEHICLE ACCESSIBILITY

Tailboard, Sidedoor
and Portable



Van Ramps

Provides Safely and Comfortably **Wheelchair Accessible Vans**



Van ramps are made of 100% aluminium provide safe and comfortable wheelchair access to vehicles.

2 pcs high-quality gas springs, innovative and reinforced aluminum profiles, ergonomic ramp handles and other features make the van ramp ideal for an accessible transportation solution.

Innovative designed **100% aluminium** made profiles provides high loading capacity and lightweight structure and antislip surface in use.

- **100% aluminium made _ 6063 T6 Hardness**
- Innovative reinforced aluminium profile design provides high loading capacity.
- 2 pcs high-quality gas springs
- Antislip surface
- Easy installation kits
- 5 years warranty



Van Ramps

Ready to use in **7 sec!**

unfold / open : 7 sec

fold / close : 7 sec

More details:

Mounted in the vehicle's door, quick and easy to fold.

Aluminium tailboard ramps have universal mounting brackets that provide easy and smooth installing operation.

Wide width options of ramp provides to install the ramp on side door or tailboard.



Van Ramps



Van Ramps



Van Ramps

Provides Safely and Comfortably **Wheelchair Accessible Vans**

Technical Datas

Art No	Inner Width		Total Length		Outer Width		Folded Dimensions (hwxl)		Application Area on Vehicle		Weight		Max Load		Side Border Outer Height		Side Border Inner Height	
	cm	inch	cm	inch	cm	inch	cm	inch	cm	inch	kg	lbs	kg	lbs	cm	inch	cm	inch
VR75160	75	29,5	160	63,0	83	33	85x83x19	33x32x7	85x83x29	33x32x11	18	39,6	340	750	6	2,4	3,5	1,4
VR75180	75	29,5	180	70,9	83	33	95x83x19	37x32x7	85x83x29	37x32x11	19,5	42,9	340	750	6	2,4	3,5	1,4
VR75200	75	29,5	200	78,7	83	33	105x83x19	41x32x7	85x83x29	41x32x11	21	46,2	340	750	6	2,4	3,5	1,4
VR75220	75	29,5	220	86,6	83	33	115x83x19	45x32x7	85x83x29	45x32x11	22,5	49,5	340	750	6	2,4	3,5	1,4
VR75240	75	29,5	240	94,5	83	33	125x83x19	49x32x7	85x83x29	49x32x11	24	52,8	340	750	6	2,4	3,5	1,4
VR75260	75	29,5	260	102,4	83	33	135x83x19	53x32x7	85x83x29	53x32x11	25,5	56,1	340	750	6	2,4	3,5	1,4
VR75280	75	29,5	280	110,2	83	33	145x83x19	57x32x7	85x83x29	57x32x11	27	59,4	340	750	6	2,4	3,5	1,4
VR75300	75	29,5	300	118,1	83	33	155x83x19	61x32x7	85x83x29	61x32x11	28,5	62,7	340	750	6	2,4	3,5	1,4
VR8160	80	31,5	160	63,0	88	35	85x88x19	33x34x7	85x88x29	33x34x11	18,5	40,7	340	750	6	2,4	3,5	1,4
VR8180	80	31,5	180	70,9	88	35	95x88x19	37x34x7	85x88x29	37x34x11	20	44	340	750	6	2,4	3,5	1,4
VR8200	80	31,5	200	78,7	88	35	105x88x19	41x34x7	85x88x29	41x34x11	21,5	47,3	340	750	6	2,4	3,5	1,4
VR8220	80	31,5	220	86,6	88	35	115x88x19	45x34x7	85x88x29	45x34x11	23	50,6	340	750	6	2,4	3,5	1,4
VR8240	80	31,5	240	94,5	88	35	125x88x19	49x34x7	85x88x29	49x34x11	24,5	53,9	340	750	6	2,4	3,5	1,4
VR8260	80	31,5	260	102,4	88	35	135x88x19	53x34x7	85x88x29	53x34x11	26	57,2	340	750	6	2,4	3,5	1,4
VR8280	80	31,5	280	110,2	88	35	145x88x19	57x34x7	85x88x29	57x34x11	27,5	60,5	340	750	6	2,4	3,5	1,4
VR8300	80	31,5	300	118,1	88	35	155x88x19	61x34x7	85x88x29	61x34x11	29	63,8	340	750	6	2,4	3,5	1,4
VR9160	90	35,4	160	63,0	98	39	85x98x19	33x39x7	85x98x29	33x39x11	19,5	42,9	340	750	6	2,4	3,5	1,4
VR9180	90	35,4	180	70,9	98	39	95x98x19	37x39x7	85x98x29	37x39x11	21	46,2	340	750	6	2,4	3,5	1,4
VR9200	90	35,4	200	78,7	98	39	105x98x19	41x39x7	85x98x29	41x39x11	22,5	49,5	340	750	6	2,4	3,5	1,4
VR9220	90	35,4	220	86,6	98	39	115x98x19	45x39x7	85x98x29	45x39x11	24	52,8	340	750	6	2,4	3,5	1,4
VR9240	90	35,4	240	94,5	98	39	125x98x19	49x39x7	85x98x29	49x39x11	25,5	56,1	340	750	6	2,4	3,5	1,4
VR9260	90	35,4	260	102,4	98	39	135x98x19	53x39x7	85x98x29	53x39x11	27	59,4	340	750	6	2,4	3,5	1,4
VR9280	90	35,4	280	110,2	98	39	145x98x19	57x39x7	85x98x29	57x39x11	28,5	62,7	340	750	6	2,4	3,5	1,4
VR9300	90	35,4	300	118,1	98	39	155x98x19	61x39x7	85x98x29	61x39x11	30	66	340	750	6	2,4	3,5	1,4
VR10160	100	39,4	160	63,0	108	43	85x108x19	33x43x7	85x108x29	33x43x11	20,5	45,1	340	750	6	2,4	3,5	1,4
VR10180	100	39,4	180	70,9	108	43	95x108x19	37x43x7	85x108x29	37x43x11	22	48,4	340	750	6	2,4	3,5	1,4
VR10200	100	39,4	200	78,7	108	43	105x108x19	41x43x7	85x108x29	41x43x11	23,5	51,7	340	750	6	2,4	3,5	1,4
VR10220	100	39,4	220	86,6	108	43	115x108x19	45x43x7	85x108x29	45x43x11	25	55	340	750	6	2,4	3,5	1,4
VR10240	100	39,4	240	94,5	108	43	125x108x19	49x43x7	85x108x29	49x43x11	26,5	58,3	340	750	6	2,4	3,5	1,4
VR10260	100	39,4	260	102,4	108	43	135x108x19	53x43x7	85x108x29	53x43x11	28	61,6	340	750	6	2,4	3,5	1,4
VR10280	100	39,4	280	110,2	108	43	145x108x19	57x43x7	85x108x29	57x43x11	29,5	64,9	340	750	6	2,4	3,5	1,4
VR10300	100	39,4	300	118,1	108	43	155x108x19	61x43x7	85x108x29	61x43x11	31	68,2	340	750	6	2,4	3,5	1,4

Industrial Loading Ramps

H series


H series' higher and stronger ramp side borders and new designed ramp surface profiles provide higher loading capacity with portable and fixed tailboard ramps.

H series is available on portable roll up ramp, folding ramp, twin ramp and tailboard ramps. It can be used for industrial goods and motorcycle loading on vehicles and yachts.

Loading capacity is up to 600kg.



Industrial Loading Ramps



Industrial Loading Ramps

Technical Datas

Art No	Inner Width		Total Length		Outer Width		Folded Dimensions (hwxl)		Application Area on Vehicle		Weight		Max Load		Side Border Outer Height		Side Border Inner Height	
	cm	inch	cm	inch	cm	inch	cm	inch	cm	inch	kg	Ibs	kg	Ibs	cm	inch	cm	inch
H-VR75160	75	29,5	160	63,0	83	33	85x83x19	33x32x7	85x83x29	33x32x11	18,5	40,7	455	1000	8	3,1	5,5	2,2
H-VR75180	75	29,5	180	70,9	83	33	95x83x19	37x32x7	85x83x29	37x32x11	20,5	45,1	455	1000	8	3,1	5,5	2,2
H-VR75200	75	29,5	200	78,7	83	33	105x83x19	41x32x7	85x83x29	41x32x11	22,5	49,5	455	1000	8	3,1	5,5	2,2
H-VR75220	75	29,5	220	86,6	83	33	115x83x19	45x32x7	85x83x29	45x32x11	24,5	53,9	455	1000	8	3,1	5,5	2,2
H-VR75240	75	29,5	240	94,5	83	33	125x83x19	49x32x7	85x83x29	49x32x11	26,5	58,3	455	1000	8	3,1	5,5	2,2
H-VR75260	75	29,5	260	102,4	83	33	135x83x19	53x32x7	85x83x29	53x32x11	28	61,6	455	1000	8	3,1	5,5	2,2
H-VR75280	75	29,5	280	110,2	83	33	145x83x19	57x32x7	85x83x29	57x32x11	29,5	64,9	455	1000	8	3,1	5,5	2,2
H-VR75300	75	29,5	300	118,1	83	33	155x83x19	61x32x7	85x83x29	61x32x11	31,5	69,3	455	1000	8	3,1	5,5	2,2
H-VR8160	80	31,5	160	63,0	88	35	85x88x19	33x34x7	85x88x29	33x34x11	19	41,8	455	1000	8	3,1	5,5	2,2
H-VR8180	80	31,5	180	70,9	88	35	95x88x19	37x34x7	85x88x29	37x34x11	21	46,2	455	1000	8	3,1	5,5	2,2
H-VR8200	80	31,5	200	78,7	88	35	105x88x19	41x34x7	85x88x29	41x34x11	23	50,6	455	1000	8	3,1	5,5	2,2
H-VR8220	80	31,5	220	86,6	88	35	115x88x19	45x34x7	85x88x29	45x34x11	25	55	455	1000	8	3,1	5,5	2,2
H-VR8240	80	31,5	240	94,5	88	35	125x88x19	49x34x7	85x88x29	49x34x11	27	59,4	455	1000	8	3,1	5,5	2,2
H-VR8260	80	31,5	260	102,4	88	35	135x88x19	53x34x7	85x88x29	53x34x11	29	63,8	455	1000	8	3,1	5,5	2,2
H-VR8280	80	31,5	280	110,2	88	35	145x88x19	57x34x7	85x88x29	57x34x11	31	68,2	455	1000	8	3,1	5,5	2,2
H-VR8300	80	31,5	300	118,1	88	35	155x88x19	61x34x7	85x88x29	61x34x11	32,5	71,5	455	1000	8	3,1	5,5	2,2
H-VR9160	90	35,4	160	63,0	98	39	85x98x19	33x39x7	85x98x29	33x39x11	20	44	455	1000	8	3,1	5,5	2,2
H-VR9180	90	35,4	180	70,9	98	39	95x98x19	37x39x7	85x98x29	37x39x11	22	48,4	455	1000	8	3,1	5,5	2,2
H-VR9200	90	35,4	200	78,7	98	39	105x98x19	41x39x7	85x98x29	41x39x11	24	52,8	455	1000	8	3,1	5,5	2,2
H-VR9220	90	35,4	220	86,6	98	39	115x98x19	45x39x7	85x98x29	45x39x11	26	57,2	455	1000	8	3,1	5,5	2,2
H-VR9240	90	35,4	240	94,5	98	39	125x98x19	49x39x7	85x98x29	49x39x11	28	61,6	455	1000	8	3,1	5,5	2,2
H-VR9260	90	35,4	260	102,4	98	39	135x98x19	53x39x7	85x98x29	53x39x11	30	66	455	1000	8	3,1	5,5	2,2
H-VR9280	90	35,4	280	110,2	98	39	145x98x19	57x39x7	85x98x29	57x39x11	33	72,6	455	1000	8	3,1	5,5	2,2
H-VR9300	90	35,4	300	118,1	98	39	155x98x19	61x39x7	85x98x29	61x39x11	33,5	73,7	455	1000	8	3,1	5,5	2,2
H-VR10160	100	39,4	160	63,0	108	43	85x108x19	33x43x7	85x108x29	33x43x11	21	46,2	455	1000	8	3,1	5,5	2,2
H-VR10180	100	39,4	180	70,9	108	43	95x108x19	37x43x7	85x108x29	37x43x11	23	50,6	455	1000	8	3,1	5,5	2,2
H-VR10200	100	39,4	200	78,7	108	43	105x108x19	41x43x7	85x108x29	41x43x11	25	55	455	1000	8	3,1	5,5	2,2
H-VR10220	100	39,4	220	86,6	108	43	115x108x19	45x43x7	85x108x29	45x43x11	27	59,4	455	1000	8	3,1	5,5	2,2
H-VR10240	100	39,4	240	94,5	108	43	125x108x19	49x43x7	85x108x29	49x43x11	29	63,8	455	1000	8	3,1	5,5	2,2
H-VR10260	100	39,4	260	102,4	108	43	135x108x19	53x43x7	85x108x29	53x43x11	31	68,2	455	1000	8	3,1	5,5	2,2
H-VR10280	100	39,4	280	110,2	108	43	145x108x19	57x43x7	85x108x29	57x43x11	33,5	73,7	455	1000	8	3,1	5,5	2,2
H-VR10300	100	39,4	300	118,1	108	43	155x108x19	61x43x7	85x108x29	61x43x11	34,5	75,9	455	1000	8	3,1	5,5	2,2

Twin Tailboard Ramp

Ultra lightweight and high loading capacity



Twin ramps are made of 100% aluminum provide safe and comfortable wheelchair access to vehicle.

Wide width options, 2 tunnel ramp design and made of 100% aluminium profiles provides extremely ease of use, higher loading capacity and wide field of view.

2 high-quality gas springs, innovative and reinforced aluminum profiles, ergonomic ramp handles and other features make the van ramp ideal for an accessible transportation solution.

- 100% aluminium made _ 6063 T6 Hardness
- Innovative reinforced aluminium profile design provides high loading capacity.
- 2 pcs high-quality gas springs
- Antislip surface
- Universal installation kits
- 5 years warranty



Twin Tailboard Ramp

Ultra lightweight and high loading capacity

Art No	Inner Width		Total Length		Outer Width		Folded Dimensions (h x w x l)		Application Area on Vehicle		Weight		Max Load		Side Border Outer Height		Side Border Inner Height	
	cm	inch	cm	inch	cm	inch	cm	inch	cm	inch	kg	Ibs	kg	Ibs	cm	inch	cm	inch
TVR25160	25	9,8	160	63,0	29	11	85x29x19	33x11x7	85x29x29	33x11x11	6	13,2	600	1320	6	2,4	3,5	1,4
TVR25180	25	9,8	180	70,9	29	11	95x29x19	37x11x7	95x29x29	37x11x11	6,5	14,3	600	1320	6	2,4	3,5	1,4
TVR25200	25	9,8	200	78,7	29	11	105x29x19	41x11x7	105x29x29	41x11x11	7	15,4	600	1320	6	2,4	3,5	1,4
TVR25220	25	9,8	220	86,6	29	11	115x29x19	45x11x7	115x29x29	45x11x11	7,5	16,5	600	1320	6	2,4	3,5	1,4
TVR25240	25	9,8	240	94,5	29	11	125x29x19	49x11x7	125x29x29	49x11x11	8	17,6	600	1320	6	2,4	3,5	1,4
TVR25260	25	9,8	260	102,4	29	11	135x29x19	53x11x7	135x29x29	53x11x11	8,5	18,7	600	1320	6	2,4	3,5	1,4
TVR25280	25	9,8	280	110,2	29	11	145x29x19	57x11x7	145x29x29	57x11x11	9	19,8	600	1320	6	2,4	3,5	1,4
TVR25300	25	9,8	300	118,1	29	11	155x29x19	61x11x7	155x29x29	61x11x11	9,5	20,9	600	1320	6	2,4	3,5	1,4
TVR30160	30	11,8	160	63,0	34	13	85x34x19	33x13x7	85x34x29	33x13x11	6,5	14,3	600	1320	6	2,4	3,5	1,4
TVR30180	30	11,8	180	70,9	34	13	95x34x19	37x13x7	95x34x29	37x13x11	7	15,4	600	1320	6	2,4	3,5	1,4
TVR30200	30	11,8	200	78,7	34	13	105x34x19	41x13x7	105x34x29	41x13x11	7,5	16,5	600	1320	6	2,4	3,5	1,4
TVR30220	30	11,8	220	86,6	34	13	115x34x19	45x13x7	115x34x29	45x13x11	8	17,6	600	1320	6	2,4	3,5	1,4
TVR30240	30	11,8	240	94,5	34	13	125x34x19	49x13x7	125x34x29	49x13x11	8,5	18,7	600	1320	6	2,4	3,5	1,4
TVR30260	30	11,8	260	102,4	34	13	135x34x19	53x13x7	135x34x29	53x13x11	9	19,8	600	1320	6	2,4	3,5	1,4
TVR30280	30	11,8	280	110,2	34	13	145x34x19	57x13x7	145x34x29	57x13x11	9,5	20,9	600	1320	6	2,4	3,5	1,4
TVR30300	30	11,8	300	118,1	34	13	155x34x19	61x13x7	155x34x29	61x13x11	10	22	600	1320	6	2,4	3,5	1,4



Portable Twin Ramps

Aluminium Made; Strong and Lightweight



Twin ramps are the useful solution when narrow storage space is needed. 15cm depth when folded and easy to storage inside vehicles.

Innovative designed **100% aluminium** made profiles provides high loading capacity and lightweight structure and antislip surface in use.

- Wide width options and wide area of use as **wheelchair, bicycle and motorcycle** access.
- 100% aluminium made _ 6063 T6 Hardness
- Innovative closed aluminium profile design provides high loading capacity.
- Antislip surface
- 15cm width storage area
- 5 years warranty



Portable Twin Ramps

Aluminium Made; Strong and Lightweight

Art No	Inner Width /pc		Length		Outer Width /pc		Folded Dimensions (hwxwxl)		Weight /pc		Max Load pair		Side Border Outer Height		Side Border Inner Height	
	cm	inch	cm	inch	cm	inch	cm	inch	kg	Ibs	kg	Ibs	cm	inch	cm	inch
TR2516 O	25	9,8	160	63,0	27	11	85x27x15	33x11x6	4,5	9,9	500	1100	6	2,4	3,5	1,4
TR2518 O	25	9,8	180	70,9	27	11	95x27x15	37x11x6	5	11	500	1100	6	2,4	3,5	1,4
TR2520 O	25	9,8	200	78,7	27	11	105x27x15	41x11x6	5,5	12,1	500	1100	6	2,4	3,5	1,4
TR2522 O	25	9,8	220	86,6	27	11	115x27x15	45x11x6	6	13,2	500	1100	6	2,4	3,5	1,4
TR2524 O	25	9,8	240	94,5	27	11	125x27x15	49x11x6	6,5	14,3	500	1100	6	2,4	3,5	1,4
TR2526 O	25	9,8	260	102,4	27	11	135x27x15	53x11x6	7	15,4	500	1100	6	2,4	3,5	1,4
TR2528 O	25	9,8	280	110,2	27	11	145x27x15	57x11x6	7,5	16,5	500	1100	6	2,4	3,5	1,4
TR2530 O	25	9,8	300	118,1	27	11	155x27x15	61x11x6	8	17,6	500	1100	6	2,4	3,5	1,4
TR3016 O	30	11,8	160	63,0	34	13	85x34x15	33x13x6	5	11	500	1100	6	2,4	3,5	1,4
TR3018 O	30	11,8	180	70,9	34	13	95x34x15	37x13x6	5,5	12,1	500	1100	6	2,4	3,5	1,4
TR3020 O	30	11,8	200	78,7	34	13	105x34x15	41x13x6	6	13,2	500	1100	6	2,4	3,5	1,4
TR3022 O	30	11,8	220	86,6	34	13	115x34x15	45x13x6	6,5	14,3	500	1100	6	2,4	3,5	1,4
TR3024 O	30	11,8	240	94,5	34	13	125x34x15	49x13x6	7	15,4	500	1100	6	2,4	3,5	1,4
TR3026 O	30	11,8	260	102,4	34	13	135x34x15	53x13x6	7,5	16,5	500	1100	6	2,4	3,5	1,4
TR3028 O	30	11,8	280	110,2	34	13	145x34x15	57x13x6	8	17,6	500	1100	6	2,4	3,5	1,4
TR3030 O	30	11,8	300	118,1	34	13	155x34x15	61x13x6	8,5	18,7	500	1100	6	2,4	3,5	1,4



Portable Twin Ramps

Aluminium Made; Strong and Lightweight



Portable Twin Ramps

Aluminium Made; Strong and Lightweight




Portable Twin Ramps

Aluminium Made; Strong and Lightweight



*produced and designed
for a
more accessible world.*



www.medlisramps.com

Medlis Engelli Yaşam Çöz İç ve Dış Tic San Ltd Şti
Ahi Evran Osb Mah, Özbekhanlığı Sk No 33,
Sincan Org San, Sincan, Ankara, TURKEY
T: + 90 312 315 8795

office@medlisramps.com